This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents *will not* correct images, please do not report the images to the Image Problems Mailbox.

Proposed Adhesion Models Based on the X-ray Studies of N- and E-Cadherins



FIG. 1

Sequence Alignment of ECD1 of Four Classic Cadherins



FIG. 2

Effects of the anti-ECD1 Peptides Antibodies on Paracellular Permeability of H5V cells



Fig 3

The Effects of Three Anti-murine VE-cadherin mAb on Vascular Permeability in Mice



Fig 4

Effect of anti-VE-cadherin mAb 19E6 on b-FGF-induced neovascularization in mouse corneal micropocket assay

Rat IgG1

19E6

FIG 5A

Quantification of the Effects of Three Anti-murine VE-cadherin mAb on Inhibiting Angiogenesis *in vivo* (mouse Corneal micropacket assay)







Fig. 5B